



Acer triflorum



Высота	10 m
Ширина	6-8m
Крона	round, half-open crown
Кора и ветви	young twigs yellowish brown, older bark brownish grey, slightly scaling
Лист	trifoliate, green, 3 - 7 cm
Осенний окрас	оранжевый, красный, фиолетовый
Цветы	yellow, in smalls corymbs of three, April/May
Плоды	winged nutlets, 4 - 5 cm long, hairy, 4 - 5 cm
Колючки/шипы	None
Ядовитость	неядовитый, обычно
Вид почвы	neutral to slightly acidic
Мощение	неустойчив к мощению
Зона зимостойкости	6 (-23,3 до -17,8 °C)
Устойчивость к ветру	good
Прочие виды устойчивости	устойчив к морозам, зона 1 - 6, сустойчив к ветру
Применение	кашпо для деревьев, сады на крыше, небольшие сады, сады в патио
Форма	штамбовое дерево, многоствольное дерево
Происхождение	Northern China, Korea

Bush to large tree, rarely medium-size. Somewhat resembles *A. griseum* at first sight, but differs from this in (among other things) its brown-grey, only slightly scaling bark. With *A. griseum*, the bark is reddish brown and profusely scaling. The leaves of *A. triflorum* are hairy and rather more blue-green on the underside. In summer they are green, but in autumn they turn a splendid orange to purplish red. The species name is derived from the fact that each flower corymb comprises only three flowers. *A. triflorum* should mainly be used as a solitary tree in a garden or park. It prefers a slightly acidic soil.