




Robinia xambigua 'Bellarosea'



Высота	6 - 8 m
Ширина	4-6m
Крона	round, open crown, half-open crown
Кора и ветви	grey, deeply grooved, young shoots slightly sticky, thorny
Лист	imparipinnate, with 13 - 21 leaf segments, elliptical, green, 1 - 4 cm, feathered leaf
Цветы	in loose clusters, pink, June/August
Плоды	flat skin, brown, elongated and smooth, 5 - 9 cm long
Колючки/шипы	Yes
Ядовитость	ядовитые части
Вид почвы	places little demands on soil, provided there is good drainage
Влажность почвы	устойчив к сухим почвам
Мощение	устойчив к мощению
Зона зимостойкости	3 (-40,0 до -24,5 °C)
Устойчивость к ветру	bad
Прочие виды устойчивости	устойчив к морозам, зона 1 - 6, устойчив к соли для улиц
Дерево-среда обитания для животных	устойчив к морозам, зона 1 - 6, устойчив к соли для улиц, медонос
Применение	промышленные зоны
Форма	штамбовое дерево
Происхождение	Leiden, Netherlands, approx. 1860

Robinia x ambigua is a hybrid between R. pseudoacacia and R. viscosa. It has many similarities with R. pseudoacacia but its leaves are slightly smaller. The sticky, young twigs are characteristic of R. viscosa. 'Bellarosea' is a small tree with an elegant shape. The crown is rounded and open. Unlike R. x ambigua, 'Bellarosea' has branches bearing strong thorns. The imparipinnate leaves are about 24 cm in size and consist of 13 - 21 elliptical green leaf segments. Pendulous, loose clusters of large pink flowers appear in June. The flowering period lasts into August. The branches are breakable: inclement weather conditions can cause branches to break particularly when the tree is in full bloom. Consequently, a site sheltered from the wind is required. Robinia xambigua is not very sensitive to road salt and tolerates paving well.