

https://www.vdberk.ru/index.php/derevya/sorbus-intermedia-brouwers/



Sorbus intermedia 'Brouwers'



Высота	10 - 12 m
Ширина	4-6m
Крона	ovoid to spherical, dark, dense crown
Кора и ветви	bark smooth, blackish-grey, later grooved
Лист	oval to ovoid, lobed, dark green, 6 - 10 cm
Осенний окрас	желтый, оранжевый
Цветы	cream white, in umbels of approx. 11 cm Ø, May, fragrant flowers
Плоды	ovoid to round, orange-red, fruits up to 1.2 cm Ø
Колючки/шипы	None
Ядовитость	неядовитый, обычно
Вид почвы	makes few demands, grows best on calcareous soils
Влажность почвы	устойчив к сухим почвам
Мощение	устойчив к мощению
Зона зимостойкости	5а (-28,8 до -26,1 °C)
Устойчивость к ветру	good
Прочие виды устойчивости	устойчив к морозам, зона 1 - 6, сустойчив к ветру
Дерево-среда обитания для животных	устойчив к морозам, зона 1 - 6, сустойчив к ветру, дерево-источник питания для птиц
Применение	аллеи и широкие улицы, кашпо для деревьев, сады на крыше, побережье
Форма	штамбовое дерево, многоствольное дерево
Происхождение	Brouwers Boomkwekerijen B.V., Groenekan, Netherlands, 1956

The 'Brouwers' cultivar has a better ascending top than the species and thus grows more uniformly. It is a slow grower with dense branches. The blackish-grey trunk remains smooth for a long time but is later grooved. Young twigs are greyish-brown to olive-brown, hairy at first but very quickly become bare. The leaves are lobed with 5 to 9 lobes on each side. On the upper side they are dark green and slightly glossy while the underside is white and felt-like: in the autumn they turn yellow to orange-yellow. Sometimes the autumn coloration fails to appear. The creamy white flowers give off a scent that is typical of the tree. After flowering the tree produces orange-red ovoid to round fruits in small umbels. These remain on the tree until October. It is a wind-resistant tree that stands up well to dry conditions. Can be used in coastal regions. 'Brouwers' bears considerably less fruit than the species. Resistant to fire blight.