



Tilia cordata 'Rancho'



Высота	10 - 15 m
Ширина	6-9m
Крона	narrow conical, later narrow ovoid, half-open crown
Кора и ветви	dark brown, grooved trunk, young twigs green, reddish-brown later
Лист	more or less round, heart-shaped base, dark green, 5 to 12 cm
Осенний окрас	желтый
Цветы	in umbels, 5 - 10 together, yellow to cream-coloured, pungent, June/July, fragrant flowers
Плоды	round-ovoid, Ø 0.5 – 0.8 cm, first felt-like, later bare
Колючки/шипы	None
Ядовитость	неядовитый, обычно
Вид почвы	any, tolerates dry conditions
Влажность почвы	устойчив к сухим почвам
Мощение	устойчив к мощению
Зона зимостойкости	4 (-34,4 до -28,9 °C)
Устойчивость к ветру	very good, also tolerates sea wind
Прочие виды устойчивости	устойчив к морозам, зона 1 - 6, сустойчив к ветру
Дерево-среда обитания для животных	устойчив к морозам, зона 1 - 6, сустойчив к ветру, привлекает бабочек
Применение	аллеи и широкие улицы, узкие улицы, побережье
Форма	штамбовое дерево
Происхождение	Е. Н. Scanlon, Olmsted Falls, Ohio, USA, 1961

American cultivar that greatly resembles 'Böhlje'. Develops a tight, narrow, pyramidal crown that later becomes narrow ovoid. 'Rancho' has a regular, upwards-slanting branching pattern. The lower branches are at a 45° angle to the straight trunk: the upper branches are at a 30° angle. The tree ultimately becomes approx. 6 m wide. The dark green leaves are somewhat larger and wider than those of the species, with a heart-shaped base, tapering to an abrupt point at the top. The leaves turn a remarkable yellow colour in the autumn. Pungent flowers appear in early summer, growing in short umbels. The light green bract is somewhat shorter than the umbel. Small fruit follows in late summer. T. cordata and its cultivars are fairly unsusceptible to aphids. Its narrow manner of growth makes 'Rancho' excellently suitable for streets and avenues.