



Alnus x spaethii 'Spaeth'



Колючки/шипы	None
Ядовитость	неядовитый, обычно
Влажность почвы	устойчив к сухим почвам, устойчив к коротким наводнениям, устойчив к длительным наводнениям
Мощение	устойчив к мощению
Зона зимостойкости	6a (-23,3 до -20,6 °C)
Прочие виды устойчивости	устойчив к морозам, зона 1 - 6, сустойчив к ветру, устойчив к соли для улиц
Применение	аллеи и широкие улицы, парки, площади, кладбища, побережье, промышленные зоны, большие сады, ветрозащитные насаждения
Форма	штамбовое дерево

Fast-growing sturdy tree, a hybrid between *A. japonica* and *A. subcordata*. Initially, the branches grow straight up, later bending horizontally. Young branches are grey-green and older branches turn brown-green and have many lenticels. The leaf buds are on small stalks. The scattered, sharply serrated and dark green leaves grow to about 15 cm and unfurl purplish. It is oblong to ovate, appears early in spring and stays on the tree for a long time. The first brown-yellow catkins often appear as early as the end of January. Grows on all types of soil and is very hardy. Has no problems with (sea) wind. *Alnus spaethii* is a highly valued and frequently used alder found by Ludwig Späth in the Späth Arboretum near the Späth Baumschulen in Berlin.