




Robinia ×ambigua 'Bellarosea'



Высота	6 - 8 m
Ширина	4-6m
Крона	round, open crown, half-open crown
Кора и ветви	grey, deeply grooved, young shoots slightly sticky, thorny
Лист	imparipinnate, with 13 - 21 leaf segments, elliptical, green, 1 - 4 cm, feathered leaf
Цветы	in loose clusters, pink, June/August
Плоды	flat skin, brown, elongated and smooth, 5 - 9 cm long
Колючки/шипы	Yes
Ядовитость	ядовитые части
Вид почвы	places little demands on soil, provided there is good drainage
Влажность почвы	устойчив к сухим почвам
Мощение	устойчив к мощению
Зона зимостойкости	3 (-40,0 до -24,5 °C)
Устойчивость к ветру	bad
Прочие виды устойчивости	устойчив к морозам, зона 1 - 6, устойчив к соли для улиц
Дерево-среда обитания для животных	устойчив к морозам, зона 1 - 6, устойчив к соли для улиц, медонос
Применение	промышленные зоны
Форма	штамбовое дерево
Происхождение	Leiden, Netherlands, approx. 1860

Robinia x ambigua is a hybrid between *R. pseudoacacia* and *R. viscosa*. It has many similarities with *R. pseudoacacia* but its leaves are slightly smaller. The sticky, young twigs are characteristic of *R. viscosa*. 'Bellarosea' is a small tree with an elegant shape. The crown is rounded and open. Unlike *R. x ambigua*, 'Bellarosea' has branches bearing strong thorns. The imparipinnate leaves are about 24 cm in size and consist of 13 - 21 elliptical green leaf segments. Pendulous, loose clusters of large pink flowers appear in June. The flowering period lasts into August. The branches are breakable: inclement weather conditions can cause branches to break particularly when the tree is in full bloom. Consequently, a site sheltered from the wind is required. Robinia xambigua is not very sensitive to road salt and tolerates paving well.