



Sorbus discolor



Высота	6 - 8 m
Ширина	3-5m
Крона	broad ovoid, half-open crown
Кора и ветви	grey, twigs bare and glossy reddish-brown
Лист	imparipinnate, approx. 18 cm, 11 - 17 leaf segments, dark green, feathered leaf
Осенний окрас	красный
Цветы	white, in umbels of approx. 12 cm Ø, May
Плоды	almost white to creamy yellow, turning pink, Ø 0.7 - 1 cm
Колючки/шипы	None
Ядовитость	неядовитый, обычно
Вид почвы	makes few demands, stands up to poor dry soils
Влажность почвы	устойчив к сухим почвам
Мощение	устойчив к мощению
Зона зимостойкости	5 (-28,8 до -23,4 °C)
Устойчивость к ветру	good
Прочие виды устойчивости	устойчив к морозам, зона 1 - 6, сустойчив к ветру
Дерево-среда обитания для животных	устойчив к морозам, зона 1 - 6, сустойчив к ветру, дерево-источник питания для птиц
Форма	штамбовое дерево, многоствольное дерево
Происхождение	Northern China
Синонимы	Sorbus pekinensis discolor

This small tree has an open crown with sturdy ascending branches. It does not form a central trunk, making the crown ovoid. The young twigs are bare and glossy reddish-brown. The imparipinnate leaves consist of 11 - 17 leaflets, lanceolate to elongated, and the stipules remain on the tree for a long time. The leaf edge is serrated except at the foot where it is smooth. S. discolor has dark green leaves that are bluish-green on the underside. In the autumn the leaves turn an intense red. The flowers are in loose stemmed umbels, somewhat hairy, with many white flowers grouped together. The fruits appear in late summer. They are almost white to creamy yellow and sometimes have a pale pink blush. With their pale colour the fruits contrast well with the autumn shades of the leaves. A type much to be recommended.